




Showroom: The Manor 2, 89 Nguyen Huu Canh, Thanh My Tay Ward, Ho Chi Minh City, Vietnam

Website: woodcountertops.com

Phone: +1 281 509 5350

Email: contact@ssr.vn



Content



CATALOG

BUTCHER BLOCK
Countertops

woodcountertops.ssr.vn

BUTCHER BLOCK COUNTERTOPS

Engineered for performance and consistency, SSR Butcher Block Countertops are manufactured from premium solid hardwoods with precise machining and strict quality control.

Each panel is kiln-dried, edge-glued, and finished to meet the demands of large-scale production and global distribution.

Our countertops are designed for durability, workability, and aesthetic value - ideal for furniture manufacturers, kitchen cabinet producers, and wholesale distributors seeking reliable, export-grade wood components.



Precision-crafted surfaces that meet industrial standards - ready for fabrication and large-volume assembly.



Consistent material quality and moisture control ensure reliability across every shipment.



Stable, defect-free panels suitable for both unfinished and prefinished applications.



Developed for OEM/ODM and project supply - supporting contractors, furniture makers, and brand partners worldwide.



SSR

BUTCHER BLOCK
COUNTERTOPS *Collection*

FINGER JOINT BOARD

SPECIFICATION

Wood species: Acacia
Moisture: ≤ 12%
Stave width (mm): 35-80 (can customize)
Stave length (mm): 150-600
Width & length tolerance(mm): +1
Thickness tolerance(mm): ±0.2 (can customize)
Glue: D4 (Koyobond)
Sanding grits: 240/320
Density (kg/m3): 600

Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR

Unfinished

PU

UV

Organic White

Teak

Brown

Dusk Grey

Espresso

Clear





ACACIA

Butcher Block Countertop

LIVE EDGE ACACIA

SPECIFICATION

- Wood species: Acacia
- Moisture: ≤ 12%
- Stave width (mm): ≥ 51mm
- Stave length (mm): Depend on board's length
- Width & length tolerance(mm): +1
- Thickness tolerance(mm): ±0.2 (can customize)
- Glue: D4 (Koyobond)
- Sanding grits: 240/320
- Density (kg/m3): 600

Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR





CHEVRON ACACIA

SPECIFICATION

Wood species: Acacia (Acacia mangium, Acacia auriculiformis)

Moisture: $\leq 12\%$

Stave width (mm): 35-80mm (can customize)

Stave length (mm): 150-600

Width & length tolerance(mm): +1

Thickness tolerance(mm): ± 0.2 (can customize)

Glue: D4 (Koyobond)

Sanding grits: 240/320

Density (kg/m³): 600

Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR




Unfinished



PU



UV



Organic White



Teak



Brown



Dusk Grey



Espresso



Clear





RUBBERWOOD

Butcher Block Countertop



FINGER JOINT BOARD

SPECIFICATION

Wood species: Rubberwood (Hevea brasiliensis)
Moisture: ≤ 12%
Stave width (mm): 35-80 (can customize)
Stave length (mm): 150-600
Width & length tolerance(mm): +2
Thickness tolerance(mm): ±0.2 (can customize)
Glue: D4 (Koyobond)
Sanding grits: 240/320
Density (kg/m3): 700

Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR





LIVE EGDE RUBBERWOOD

SPECIFICATION

Moisture: ≤ 12%
Stave width (mm): ≥ 51mm
Stave length (mm): Depend on board's length
Width & length tolerance(mm): +1
Thickness tolerance(mm): ±0.2 (can customize)
Glue: D4 (Koyobond)
Sanding grits: 240/320
Density (kg/m3): 700

Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR





RUBBERWOOD

Butcher Block Countertop

CHEVRON RUBBERWOOD

SPECIFICATION

Moisture: ≤ 12%
Stave width (mm): 35-80mm (can customize)
Stave length (mm): 150-600
Width & length tolerance(mm): +1
Thickness tolerance(mm): ±0.2 (can customize)
Glue: D4 (Koyobond)
Sanding grits: 240/320
Density (kg/m3): 700

Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR



MELIA

Butcher Block Countertop



SPECIFICATION

Wood species: Melia/Chinaberry (Melia azedarach, melia dubia)
Moisture: ≤ 12%
Stave width (mm): 35-80 (can customize)
Stave length (mm): 150-600
Width & length tolerance(mm): +2
Thickness tolerance(mm): ±0.2 (can customize)
Glue: D4 (Koyobond)
Sanding grits: 240/320
Density (kg/m3): 500

Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR



Unfinished



PU



UV



Organic White



Teak



Brown



Dusk Grey



Espresso





PINE

Butcher Block Countertop



SPECIFICATION

Wood species: Radiata Pine
Moisture: $\leq 12\%$
Stave width (mm): 35-80 (can customize)
Stave length (mm): 150-600
Width & length tolerance(mm): +1
Thickness tolerance(mm): ± 0.2 (can customize)
Glue: D4 (Koyobond)
Sanding grits: 240/320
Density (kg/m3): 500


Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR



ASH

Butcher Block Countertop



SPECIFICATION

Wood species: Ash (White Ash)
Moisture: ≤ 12%
Stave width (mm): 35-80 (can customize)
Stave length (mm): 150-600
Width & length tolerance(mm): +1
Thickness tolerance(mm): ±0.2 (can customize)
Glue: D4 (Koyobond)
Sanding grits: 240/320
Density (kg/m3): 750

Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR





BAMBOO

Butcher Block Countertop



SPECIFICATION

Species: Bamboo (Dendrocalamus barbatus)
Moisture: ≤ 12%
Width & length tolerance(mm): 0/+3
Thickness tolerance(mm): ±0.2
Glue: D4 (Koyobond)
Sanding grits: 240/320
Density (kg/m3): 750

Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR



OAK

Butcher Block Countertop



SPECIFICATION

Wood species: White Oak (Quercus alba) & Red Oak (Quercus rubra)
Moisture: ≤ 12%
Stave width (mm): 35-80mm (can customize)
Stave length (mm): 150-600
Width & length tolerance(mm): +1
Thickness tolerance(mm): ±0.2 (can customize)
Glue: D4 (Koyobond)
Sanding grits: 240/320
Density (kg/m3): 750


Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR





EUCALYPTUS

Butcher Block Countertop



SPECIFICATION

Wood species: Eucalyptus (Eucalyptus grandis)
Moisture: ≤ 12%
Stave width (mm): 35-80mm (can customize)
Stave length (mm): 150-600
Width & length tolerance(mm): +1
Thickness tolerance(mm): ±0.2 (can customize)
Glue: D4 (Koyobond)
Sanding grits: 240/320
Density (kg/m3): 400


Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR



BIRCH

Butcher Block Countertop



SPECIFICATION

Wood species: Birch (White/Yellow Birch)
Moisture: ≤ 12%
Stave width (mm): 35-80mm (can customize)
Stave length (mm): 150-600
Width & length tolerance(mm): +1
Thickness tolerance(mm): ±0.2 (can customize)
Glue: D4 (Koyobond)
Sanding grits: 240/320
Density (kg/m3): 700

Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR



Unfinished



PU



UV



Organic White



Teak



Brown



Dusk Grey



Espresso





TEAK

Butcher Block Countertop



SPECIFICATION

Wood species: Teak (African/South American Teak)
Moisture: ≤ 12%
Stave width (mm): 35-80mm (can customize)
Stave length (mm): 150-600
Width & length tolerance(mm): +1
Thickness tolerance(mm): ±0.2 (can customize)
Glue: D4 (Koyobond)
Sanding grits: 240/320
Density (kg/m3): 700

Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR



Unfinished



PU



UV



Organic White



Teak



Brown



Dusk Grey



Espresso



CHEVRON RAINTREE

SPECIFICATION

Wood species: Rain Tree/Monkeypod (Samanea saman)
Moisture: ≤ 12%
Stave width (mm): 35-80mm (can customize)
Stave length (mm): 150-600
Width & length tolerance(mm): +1
Thickness tolerance(mm): ±0.2 (can customize)
Glue: D4 (Koyobond)
Sanding grits: 240/320
Density (kg/m3): 600

Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR





RAINTREE

Butcher Block Countertop

LIVE EDGE RRAINTREE

SPECIFICATION

Wood species: Senna siamea
Moisture: $\leq 12\%$
Stave width (mm): $\geq 51\text{mm}$
Stave length (mm): Depend on board's length
Width & length tolerance(mm): +1
Thickness tolerance(mm): ± 0.2 (can customize)
Glue: D4 (Koyobond)
Sanding grits: 240/320
Density (kg/m3): 600

Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR





SENNA SIMEA

Butcher Block Countertop



SPECIFICATION

Wood species: Senna siamea
Moisture: ≤ 12%
Stave width (mm): 35-80mm (can customize)
Stave length (mm): 150-600
Width & length tolerance(mm): +1
Thickness tolerance(mm): ±0.2 (can customize)
Glue: D4 (Koyobond)
Sanding grits: 240/320
Density (kg/m3): 800

Countertops Dimensions (Inch)

Length	Width	Thickness
50/72/74/96/98/120/122/144	25	1.5

Island Dimensions (Inch)

Length	Width	Thickness
74/96/98/120/122/144	36/39	1.5

COLOR






FINGER JOINT BOARD

Finger Joint Board is a cornerstone of our butcher block offerings, representing a highly stable and resource-efficient construction. It utilizes precision-cut interlocking profiles bonded under high pressure, creating robust planks that maximize dimensional stability and minimize warping for superior durability.

As a dedicated OEM/ODM partner, we leverage this technology to offer complete customization in wood species, grading (e.g., A/B, B/C), exact dimensions, and specialized edge finishes (Square, Tubi, etc.), ensuring this reliable and cost-effective material meets the precise needs of any large-scale project or bespoke design.



Finger joint square edges



Finger joint with 1 live edge/ tubi edge




Finger joint with 2 live edges/ tubi edges



EDGE GLUED BOARD

Edge Glued Board utilizes full-length wood staves-typically wider than Finger Joint staves-glued along their edges to form a single, expansive surface. This construction showcases the natural beauty of the wood's continuous, long grain pattern, offering a clean, elegant, and classic aesthetic.

Through our comprehensive OEM/ODM services, we deliver Edge Glued Boards customized in width, length, and species, including the striking Live Edge variations shown below, making them perfect for premium, custom-fit countertops, tabletops, and feature islands.



Finger joint with 2 live edges/ tubi edges




Finger joint with 1 live edge/ tubi edge



CHEVRON BOARD

Chevron Board is a cornerstone of our butcher block offerings, representing a highly stable and resource-efficient construction. It utilizes precision-cut interlocking profiles bonded under high pressure, creating robust planks that maximize dimensional stability and minimize warping for superior durability.

We leverage technology to offer complete customization in varieties wood species, grading exact dimensions, and specialized edge finishes, ensuring this reliable and cost-effective material meets the precise needs of any large-scale projects or bespoke design.



Chevron Acacia



Chevron Rubberwood

Countertop Edge Profiles



Bullnose Edge



Live Edge



Beveled Edge



Square Edge

OEM/ODM ON YOUR DEMAND

We do the OEM/ODM for every order and every needs.

Q1 Identify new markets

Q2 Organizational restructuring

Prototype new offering

Pitch to investors

Offering (A) development

Q3 Offering (B) development

Series (A) funding

Launch + Refine

Customer research and tracking

Experience

Share

Storytelling

Content

Emotion

Viral

History

Creative

3EB!

ABOUT SSR



SSR has grown from a woodworking manufacturer into a trusted global wood supply chain.


We have refined our craftsmanship to master the art of wood processing, combining tradition with innovation to deliver products that meet the highest standards of quality. Our expertise covers a wide range of wood products – from finger joint boards, panels, and shelving to custom butcher block countertops – all engineered to provide durability, functionality, and timeless design.

At SSR, we make your demand more powerful.

We serve as a global supplier of wood countertops, offering tailored cabinet systems that are designed to match your exact specifications. Every detail – from material selection to finishing – is carefully managed to ensure consistency and excellence. With a strong commitment to meeting demanding project timelines, we provide not only products, but also peace of mind for our partners worldwide.

Choose SSR as your reliable partner in every match.

Our dedication to superior craftsmanship and customer satisfaction ensures that each match we deliver reflects excellence in both design and performance. Together, we build lasting value and reliable supply chains across the global market, in every space.



COMPANY MILESTONES

Started Exporting to Korean Market

SSR Vina was established in late 2009 and officially commenced operations in early 2010. During this initial phase, we focused primarily on the Korean market with the following key products: Sawn timber for pallets, Flooring for trucks and containers, Wood chips for paper production, Sawdust, wood shavings and wood pellets for boilers and cattle bedding, Cashew nutshell husks used as animal feed.

2010 - 2012

Driven by a lifelong passion for wood and the vision of bringing Vietnamese products to the world, Mr. Hung Van Vu – President & CEO – established SSR VINA. This was the beginning of a journey dedicated to transforming natural resources into products of global quality and lasting value.

Founded SSR Vina 2009

2018 - Now

During this period, SSR focused on designing, manufacturing, and exporting wood products made from locally sourced materials. At the same time, we diversified into imported wood products, including Teak and Ash.

We also expanded our offerings to include a wide range of interior and exterior finishing products such as decking tiles, wooden entry doors, wooden windows, mouldings, and wood stair parts, with North America and Europe as our primary markets.

Additionally, SSR VINA grew its export markets to over 40 countries and imported round timber from Europe and Fiji for the domestic market.

Research and Adapt

2013 - 2017

Building on its early success, SSR VINA has broadened its product portfolio and global reach. We now export veneer, plywood, finger-jointed boards, and butcher block to over 25 countries, with North America, Europe, and the Middle East as our key mvarkets.

In addition, we have developed and manufactured Butcher Block Countertops, offering a variety with wood countertops, tailored to meet international standards of quality and design.

Supplied sawdust and wood shavings in the form of Ruf briquettes as fuel for fireplaces in supermarket systems across the global market.

Expanding Business

Trusted worldwide through recognized certifications



Quality Management
ISO 9001:2015



FSC
Chain-of-Custody




Top 100
Vietnam Pavilion



SGS Test Report

FACTORY SYSTEM OF SSR VINA



SSR VINA operates a modern and fully integrated manufacturing system strategically located across Vietnam, designed to meet the increasing global demand for diverse wood products. Each facility is equipped with advanced production lines, precision technology, and strict quality control processes. This allows us to ensure consistent standards, maximize efficiency, and maintain scalable capacity, while delivering products that meet the expectations of international markets. Our factory system not only strengthens supply chain reliability but also optimizes production costs, helping us remain competitive in a fast-changing global environment.

With a combined capacity of nearly 275,000 m² of products per month, SSR VINA is capable of handling large-scale orders and OEM/ODM Demand requirements with speed and reliability. From customized kitchen cabinet programs to full-scale furniture components, our factories are built to serve both OEM partners and global distributors. The strategic proximity of our manufacturing sites to raw material sources and international seaports ensures seamless logistics, faster delivery, and long-term stability. This robust manufacturing network positions SSR VINA as a trusted partner for clients in Canada, NA, Europe, and beyond!

WHY CHOOSE US?



Cost-optimized sustainable wood products



Professional staff, highly skilled workers



Rigorous **Quality** Control



15 years of experience supplying to over 50 countries



Customization to meet customer requirements



Pursue relentless quest for **innovation**

SSR GLOBAL NETWORK

