



GLOBAL NETWORK



SSR Vina Co., Ltd

Address: G-12, Ground Floor, The Manor Officetel,
No. 89 Nguyen Huu Canh Street, Thanh
My Tay Ward, Ho Chi Minh City

Sales: +84 986 065 742 | +84 359 276 180

Tel: +84 28 7303 1695

Email: contact@ssr.vn

Website: www.ssr.vn

FROM SSR HARDWOOD TO YOUR HOMES

DIY Countertop
DIY Laminate Wood Board
Cutting Board, Noodle Board
Acacia Decking Tiles
Shelves & Brackets
Lazy Susan
Metal Leg



CATALOGUE

DIY and
Decoration products



Contents

- 02 Contents**
- 03 Company Introduction**
- 04 DIY Countertop**
 - 05 Countertop Bamboo | BBC_BB
 - 06 Rubberwood Butcher Block Countertop | BBC_RB
 - Pine Butcher Block Countertop | BBC_P
 - 07 Acacia Butcher Block Countertop | BBC_AC
 - Sapele Butcher Block Countertop | BBC_S
 - 08 Ash Butcher Block Countertop | BBC_A
 - Eucalyptus Butcher Block Countertop | BBC_E
 - 09 Senna Siamea Butcher Block Countertop | BBC_SS
 - Teak Butcher Block Countertop | BBC_T
 - 10 Eucalyptus Edge Glued Countertop | EGC_E
 - Oak Edge Glued Countertop | EGC_O
 - 11 Acacia Edge Glued Countertop | EGC_AC
 - Rubberwood Edge Glued Countertop | EGC_RB
 - 12 Rubberwood Edge Glued Live edge Countertop | LEC_RB
 - 13 Acacia Edge Glued Live edge Countertop | LEC_AC
 - 14 Senna Siamea Edge Glued Live edge Countertop | LEC_SS
 - 15 Raintree Edge Glued Live edge Countertop | LEC_RT
 - 16 Rubberwood Chevron Countertop | CRC_RB
 - 17 Acacia Chevron Countertop | CRC_AC
- 18 Decking Tiles**
 - 18 Composite Deck Tiles | CPDK-4
 - Composite Deck Tiles | CPDK-6
 - 19 5 Slats Acacia Wood Decking Tiles | DKS_AC-5
 - 6 Slats Acacia Wood Decking Tiles | DKS_AC-6
 - 20 Diagonal Acacia Wood Decking Tiles | DKS_DG
 - 9 Slats Acacia Wood Decking Tiles | DKS_AC-9
 - 21 12 Slats Acacia Wood Decking Tiles | DKS_AC-12
 - 22 Artificial Grass Tiles | DKS_AR-1
- 23 Noodle Board | NB**
- 24 Shelves & Brackets | SVBK**
- 25 Brackets | BK
- 26 Metal Leg | MTL**
- 29 DIY Laminate Wood Board | LWB**
- 30 Cutting Board | CTB**
- 31 Lazy Susan | LZS**

We bring naturally
and simply DIY &
Decoration
products for home
improvement

Introduction



DIY & Decoration Products are made of natural wood material. These are designed for durable and various finished surfaces. The natural wooden completed products' beauty and rustic bring a cozy aesthetic space.

Our products:

- **BUILDING AND FURNITURE MATERIALS**
- **DIY & HOME DECORATION PRODUCTS**
- **FURNITURE**



DIY Countertop

Wooden countertops or an island top to your interior design brings in natural color tones and beauty that plays well with multiple home styles. Countertops can be easily cut, processed and finished.

Countertop color chart



Brown



Clear



Teak



Organic White



Espresso



Dusk Grey

PACKING & DELIVERY

- Quantity: 21-22 cbm/20ft
- Packing: as export standard or customized
- Min order: 1 container x 20ft (20-22 cbm)
- Supplying capacity: 200 x 40ft containers / month





SPECIFICATION

- Moisture: 8 – 12%
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Surface finish: sanding 240-320 grit, 2 faces

USA-CANADA MARKET

Length (inch)	Width (inch)	Thickness (inch)
36	24/25/36	1/1.5
48	25	1/1.5
50	25	1/1.5
72	25	1/1.5
74	25	1/1.5
96	24/25/36	1/1.5
98	25	1/1.5
120	25	1/1.5

EUROPE MARKET

Length (mm)	Width (mm)	Thickness (mm)
2000	600	26/ 38
2200	650	26/ 38
2500	990	26/ 38
2600		
3000		

Rubberwood (Hevea) Butcher Block Countertop | BBC_RB



SPECIFICATION

- Moisture: 8 – 12%
- Wood Stave (length): 150-400 mm
- Wood Stave (width): 35-80 mm or customized
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Quality: AC, ABC
- Surface finish: sanding 240-320 grit, 2 faces.

USA-CANADA MARKET

Length (inch)	Width (inch)	Thickness (inch)
36	24/25/36	1/1.5
48	25	1/1.5
50	25	1/1.5
72	25	1/1.5
74	25	1/1.5
96	24/25/36	1/1.5
98	25	1/1.5
120	25	1/1.5

Pine Butcher Block Countertop | BBC_P



SPECIFICATION

- Moisture: 8 – 12%
- Wood Stave (length): 150-400 mm
- Wood Stave (width): 35-80 mm
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Surface finish: sanding 240-320 grit, 2 faces.

EUROPE MARKET

Length (mm)	Width (mm)	Thickness (mm)
2000	600	26/ 38
2200	650	26/ 38
2500	990	26/ 38
2600		
3000		
3020		

Acacia Butcher Block Countertop | BBC_AC

SPECIFICATION

- Moisture: 8 – 12%
- Wood Stave (length): 150-400 mm
- Wood Stave (width): 35-80 mm or customized
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Quality: BC, CC or customized
- Surface finish: sanding 240-320 grit, 2 faces.

USA-CANADA MARKET

Length (inch)	Width (inch)	Thickness (inch)
36	24/25/36	1/1.5
48	25	1/1.5
50	25	1/1.5
72	25	1/1.5
74	25	1/1.5
96	24/25/36	1/1.5
98	25	1/1.5
120	25	1/1.5



Sapele Butcher Block Countertop | BBC_S

SPECIFICATION

- Moisture: 8 – 12%
- Wood Stave (length): 150-400 mm
- Wood Stave (width): 35-80 mm
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Surface finish: sanding 240-320 grit, 2 faces.

EUROPE MARKET

Length (mm)	Width (mm)	Thickness (mm)
2000	600	26/ 38
2200	650	26/ 38
2500	990	26/ 38
2600		
3000		
3020		



Ash Butcher Block Countertop | BBC_A



SPECIFICATION

- Moisture: 8 – 12%
- Wood Stave (length): 150-400 mm
- Wood Stave (width): 35-80 mm
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Surface finish: sanding 240-320 grit, 2 faces.

Eucalyptus Butcher Block Countertop | BBC_E



EUROPE MARKET

Length (mm)	Width (mm)	Thickness (mm)
2000	600	26/ 38
2200	650	26/ 38
2500	990	26/ 38
2600		
3000		
3020		

USA-CANADA MARKET

Length (inch)	Width (inch)	Thickness (inch)
36	24/25/36	1/1.5
48	25	1/1.5
50	25	1/1.5
72	25	1/1.5
74	25	1/1.5
96	24/25/36	1/1.5
98	25	1/1.5
120	25	1/1.5

Senna Siamea Butcher Block Countertop | BBC_SS



SPECIFICATION

- Moisture: 8 – 12%
- Wood Stave Length: 150-400 mm
- Wood Stave Width: 35-80 mm
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Surface finish: sanding 240-320 grit, 2 faces.



Teak Butcher Block Countertop | BBC_T



USA-CANADA MARKET

Length (inch)	Width (inch)	Thickness (inch)
36	24/25/36	1/1.5
48	25	1/1.5
50	25	1/1.5
72	25	1/1.5
74	25	1/1.5
96	24/25/36	1/1.5
98	25	1/1.5
120	25	1/1.5

EUROPE MARKET

Length (mm)	Width (mm)	Thickness (mm)
2000	600	26/ 38
2200	650	26/ 38
2500	990	26/ 38
2600		
3000		
3020		



Eucalyptus Edge Glued Countertop | EGC_E



SPECIFICATION

- Moisture: 8 – 12%
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Surface finish: sanding 240-320 grit, 2 faces.

USA-CANADA MARKET

Length (inch)	Width (inch)	Thickness (inch)
36	24/25/36	1/1.5
48	25	1/1.5
50	25	1/1.5
72	25	1/1.5
74	25	1/1.5

EUROPE MARKET

Length (mm)	Width (mm)	Thickness (mm)
2000	600	26/ 38
2200	650	26/ 38

Oak Edge Glued Countertop | EGC_O



SPECIFICATION

- Moisture: 8 – 12%
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Surface finish: sanding 240-320 grit, 2 faces.

USA-CANADA MARKET

Length (inch)	Width (inch)	Thickness (inch)
36	24/25/36	1/1.5
48	25	1/1.5
50	25	1/1.5
72	25	1/1.5
74	25	1/1.5

EUROPE MARKET

Length (mm)	Width (mm)	Thickness (mm)
2000	600	26/ 38
2200	650	26/ 38

Acacia Edge Glued Countertop | EGC_AC



SPECIFICATION

- Moisture: 8 – 12%
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Surface finish: sanding 240-320 grit, 2 faces.



USA-CANADA MARKET

Length (inch)	Width (inch)	Thickness (inch)
36	24/25/36	1/1.5
48	25	1/1.5
50	25	1/1.5
72	25	1/1.5
74	25	1/1.5
96	24/25/36	1/1.5

EUROPE MARKET

Length (mm)	Width (mm)	Thickness (mm)
2000	600	26/ 38
2200	650	26/ 38

Rubberwood Edge Glued Countertop | EGC_RB



SPECIFICATION

- Moisture: 8 – 12%
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Surface finish: sanding 240-320 grit, 2 faces.



USA-CANADA MARKET

Length (inch)	Width (inch)	Thickness (inch)
36	24/25/36	1/1.5
48	25	1/1.5
50	25	1/1.5
72	25	1/1.5
74	25	1/1.5
96	24/25/36	1/1.5

EUROPE MARKET

Length (mm)	Width (mm)	Thickness (mm)
2000	600	26/ 38
2200	650	26/ 38



DESCRIPTION

Live edge wood slab first became popular in the 1940s and has grown to be used for mostly application of furniture or home touch, from tables, benches, headboards or shelving.

EUROPE MARKET

Length (mm)	Width (mm)	Thickness (mm)
2000	600	26/ 38
2200	650	26/ 38
2500	990	26/ 38

USA-CANADA MARKET

Length (inch)	Width (inch)	Thickness (inch)
36	24/25/36	1/1.5
48	25	1/1.5
50	25	1/1.5
72	25	1/1.5
74	25	1/1.5
96	24/25/36	1/1.5



SPECIFICATION

- Moisture: 8 – 12 %
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Surface finish: sanding 180-240 grit

Acacia Edge Glued Live edge Countertop | LEC_AC



DESCRIPTION

Live edge slabs are typically used for dining room, desks, countertop, shelving, coffee bars and conference tables. Each piece provides a beautiful contrast to a piece of furniture or setting and expresses the natural origin of wood.

USA-CANADA MARKET

Length (inch)	Width (inch)	Thickness (inch)
36	24/25/36	1/1.5
48	25	1/1.5
50	25	1/1.5
72	25	1/1.5
74	25	1/1.5
96	24/25/36	1/1.5

EUROPE MARKET


Length (mm)	Width (mm)	Thickness (mm)
2000	600	26/ 38
2200	650	26/ 38
2500	990	26/ 38

SPECIFICATION

- Moisture: 8 – 12 %
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Surface finish: sanding 180-240 grit



Senna Siamea Edge Glued Live edge Countertop | LEC_SS



DESCRIPTION

Live edge or natural edge is a style of furniture which the furniture designer or carpenter incorporates the natural edge of the wood into the best design of worktop.

SPECIFICATION

- Moisture: 8 – 12 %
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Packing: PE plastic each piece
- Surface finish: Sanding 180-240 grit.


EUROPE MARKET

Length (mm)	Width (mm)	Thickness (mm)
2000	600	26/ 38
2200	650	26/ 38
2500	990	26/ 38

USA-CANADA MARKET

Length (inch)	Width (inch)	Thickness (inch)
36	24/25/36	1/1.5
48	25	1/1.5
50	25	1/1.5
72	25	1/1.5
74	25	1/1.5
96	24/25/36	1/1.5

Raintree Edge Glued Live edge Countertop | LEC_RT



DESCRIPTION

As beautiful and unique as the trees produced from, live edge wood slab refers to the natural edge of the wood under the bark after it is cut. Live edge wood keeps the original lines of the trunk along its edges, portraying the wood in its very naturalistic and raw state.

EUROPE MARKET

Length (mm)	Width (mm)	Thickness (mm)
2000	600	26/ 38
2200	650	26/ 38
2500	990	26/ 38



SPECIFICATION

- Moisture: 8 – 12 %
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Packing: PE plastic each piece
- Surface finish: Sanding 180-240 grit.

USA-CANADA MARKET

Length (inch)	Width (inch)	Thickness (inch)
36	24/25/36	1/1.5
48	25	1/1.5
50	25	1/1.5
72	25	1/1.5
74	25	1/1.5
96	24/25/36	1/1.5





SPECIFICATION

- Moisture: 8–12 %
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Surface finish: oil coating or sanding 180-240 grit

USA-CANADA MARKET

Length (inch)	Width (inch)	Thickness (inch)
36	24/25/36	1/1.5
48	25	1/1.5
50	25	1/1.5
72	25	1/1.5
74	25	1/1.5
96	24/25/36	1/1.5

EUROPE MARKET

Length (mm)	Width (mm)	Thickness (mm)
2000	600	26/ 38
2200	650	26/ 38
2500	990	26/ 38
2600		





SPECIFICATION

- Moisture: 8–12 %)
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Surface finish: oil coating or sanding 180-240 grit

USA-CANADA MARKET

Length (inch)	Width (inch)	Thickness (inch)
36	24/25/36	1/1.5
48	25	1/1.5
50	25	1/1.5
72	25	1/1.5
74	25	1/1.5
96	24/25/36	1/1.5

EUROPE MARKET

Length (mm)	Width (mm)	Thickness (mm)
2000	600	26/ 38
2200	650	26/ 38
2500	990	26/ 38
2600		



DECKING TILES

Decking tiles help you easily transform your balcony, porch, or sunbathing deck into an attractive and relaxing outdoor living space. They can be quickly installed by lay the decking tiles over an existing wooden deck or concrete floor - no tools necessary.

Composite Deck Tiles | CPDK-4



CPDK-4R



CPDK-4Y



CPDK-4G


SIZE

Length (mm)	Width (mm)	Thickness (mm)
300	300	25

SPECIFICATION

- Frame: Plastic
- Number of slats: 4 slats
- Effective size: 70x12mm WPC multi purpose bar
- Color: Yellow, Red, Gray

Composite Deck Tiles | CPDK-6



CPDK-6Y



CPDK-6G



CPDK-6R

SIZE

Length (mm)	Width (mm)	Thickness (mm)
300	300	25

SPECIFICATION

- Frame: Plastic
- Number of slats: 6 slats
- Effective size: 70x12mm WPC multi purpose bar
- Color: Yellow, Red, Gray

5-Slats Acacia Wood Decking Tiles | DKS_AC-5

SPECIFICATION

- Material: Acacia wood
 - Moisture: 8-12%.
 - Number of slats: 5 slats
 - Finish: unfinished or oil finished
 - Color: Natural, Teak, Golden Teak, Brown or customized
 - Component: wood part with interlock plastic base
 - Installing area: 11 pieces/ 1m² (square meter)
- Install easily with interlocking system



SIZE

Length (mm)	Width (mm)	Thickness (mm)
300	300	24

6-Slats Acacia Wood Decking Tiles | DKS_AC-6

DESCRIPTION

- 100% all-natural hardwoods.
- Low-maintenance & naturally resistant to mold, decay & insects.
- Simple to remove, re-arrange and lay in new locations.
- Reliable performance in homes & commercial projects worldwide.
- Proven to last in extremely hot, dry, wet, & cold climates.
- Interchangeable patterns create gorgeous arrangements.

SIZE

Length (mm)	Width (mm)	Thickness (mm)
300	300	24



Natural



Teak



Brown



Golden Teak

Diagonal Acacia Wood Decking Tiles | DKS_DG



SPECIFICATION

- Material: Acacia wood
 - Moisture: 8-12%.
 - Number of slats: 8 slats
 - Finish: unfinished or oil finished
 - Color: Natural, Teak, Golden Teak, Brown or customized
 - Component: wood part with interlock plastic base
 - Installing area: 11 pieces/ 1m2 (square meter)
- Install easily with interlocking system

SIZE

Length (mm)	Width (mm)	Thickness (mm)
300	300	24

9-Slats Acacia Wood Decking Tiles | DKS_AC-9



SPECIFICATION

- Material: Acacia wood
 - Moisture: 8-12%.
 - Number of slats: 9 slats
 - Finish: unfinished or oil finished
 - Color: Natural, Teak, Golden Teak, Brown or customized
 - Component: wood part with interlock plastic base
 - Installing area: 11 pieces/ 1m2 (square meter)
- Install easily with interlocking system



SIZE

Length (mm)	Width (mm)	Thickness (mm)
300	300	24



12-Slats Acacia Wood Decking Tiles | DKS_AC-12

SPECIFICATION

- Material: Acacia wood
- Moisture: 8-12%.
- Number of slats: 12 slats
- Finish: unfinished or oil finished
- Color: Natural, Teak, Golden Teak, Brown or customized
- Component: wood part with interlock plastic base
- Installing area: 11 pieces/ 1m2 (square meter)
Install easily with interlocking system



SIZE

Length (mm)	Width (mm)	Thickness (mm)
300	300	24



Golden Teak



Teak Color



Natural Color



Brown Color

Artificial Grass Tiles | DKS_AG-1



SPECIFICATION

- Material: Plastic
- Plastic soles height: 21 ± 1 mm
- Pile height: $20 \text{ mm} \pm 5\%$
- Gauge: 3/8 inch
- Dtex: $6200 \text{ D} \pm 5\%$
- Rate: 12/10 cm
- Application: Indoor/outdoor
- Color: Green; Color plastic soles: Black

SIZE

Length (mm)	Width (mm)	Thickness (mm)
300	300	21

Artificial Grass Tiles | DKS_AG-2




SPECIFICATION

- Material: Plastic
- Plastic soles height: 21 ± 1 mm
- Pile height: $35 \text{ mm} \pm 5\%$
- Gauge: 3/8 inch
- Dtex: $6200 \text{ D} \pm 5\%$
- Rate: 14/10 cm
- Application: Indoor/outdoor
- Color: Green; Color plastic soles: Black

SIZE

Length (mm)	Width (mm)	Thickness (mm)
300	300	23



SPECIFICATION

- Wood species: Rubberwood, Acacia
- Moisture: 8 - 12 %
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: G4
- Surface finish: Unfinished, oil pre-stained,
- Size: standard or according customer request



SPECIFICATION



- Application: Wall Shelves, bookcase, bookshelf
- Wood species: Rubber, Acacia, Teak, Eucalyptus, Ash, etc
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: G4
- Color: Natural, Clear or according customer's request
- Surface finish: Unfinished or Oil/ PU/ UV Coating
- Sanding: 240-320 grit

Types of Shelf

- Finger Joint
- Continuous Staves (Edge glued)

SIZE

Length (mm)	Width (mm)	Thickness (mm)
610	254	26
915	305	32
1219		38
1829		
2440		






Floating Wood Shelf | BK_U

SPECIFICATION


- Material: Steel
- Surface treatment: Matte Black
- Installation method: Screw-in
- Surface finish: Powder Coating
- Color: Black or customized




Folding Shelf Bracket | BK_I



L Bracket Wood Shelf | BK_L




A Bracket Wood Shelf | BK_A



J Bracket Wood Shelf | BK_J

Metal Leg | MTL


X-Shape | MTL_X



SPECIFICATION

- Size: H720 x W600mm; Steel box 75x75x1.4mm
H400 x W300mm; Steel box 60x60x1.2mm
- Materials: Alloy Steel, Metal, Steel
- Application: Desk, Table Leg, Bench Leg, etc
- Installation: Screw-In
- Net Weight: 7kg/pc; 3kg/pc
- Shape: X Shape
- Color: Black
- Surface finish: Electric Powder Coating
- Packaging: 1 pair/ carton box or customized


U-Shape | MTL_U



SPECIFICATION

- Size: H710 x W610mm; Steel box 75x75x1.4mm
H508 x W381mm; Steel box 60x60x1.2mm
- Materials: Alloy Steel, Metal, Steel
- Application: Desk, Table Leg, Bench Leg, etc
- Installation: Screw-In
- Net Weight: 10kg/pc; 6kg/pc
- Shape: X Shape
- Color: Black
- Surface finish: Electric Powder Coating
- Packaging: 1 pair/ carton box or customized

I-Shape | MTL_I




SPECIFICATION

- Size: H450 x W380mm; Steel box 40x80x1.4mm
- Materials: Alloy Steel, Metal, Steel
- Application: Desk, Dining Table, Bench, etc
- Installation: Screw-In
- Net Weight: 3kg/pc
- Shape: I Shape
- Color: Black
- Surface finish: Electric Powder Coating
- Packaging: 1 pair/ carton box or customized

T-Shape | MTL_T

SPECIFICATION


- Size: H890 x W190mm; Steel box 40x40x1.2mm
- Materials: Alloy Steel, Metal, Steel
- Application: Desk, Dining Table, Bench, etc
- Installation: Screw-In
- Net Weight: 3kg/pc
- Shape: T Shape
- Color: Black
- Surface finish: Electric Powder Coating
- Packaging: 1 pair/ carton box or customized



R-Shape | MTL_R

SPECIFICATION


- Size: H720 x W800mm; Steel box 40x80x1.4mm
- Materials: Alloy Steel, Metal, Steel
- Application: Desk, Dining Table, Bench, etc
- Installation: Screw-In
- Net Weight: 3kg/pc
- Shape: R Shape
- Color: Black
- Surface finish: Electric Powder Coating
- Packaging: 1 pair/ carton box or customized




A-Shape | MTL_A

SPECIFICATION

- Size: H710 x W80mm; Steel box 30x60x1.4mm
- Materials: Alloy Steel, Metal, Steel
- Application: Desk, Dining Table, Bench, etc
- Installation: Screw-In
- Net Weight: 3kg/pc
- Shape: A Shape
- Color: Black
- Surface finish: Electric Powder Coating
- Packaging: 1 pair/ carton box or customized




H-Shape | MTL-H



SPECIFICATION

- Size: H1036 x W570mm; Box Section 50x50mm
- Materials: Alloy Steel, Metal, Steel
- Application: Desk, Dining Table, Bench, etc
- Installation: Screw-In (height adjustable by hand)
- Shape: H Shape
- Color: Black
- Surface finish: Electric Powder Coating
- Packaging: 1 pair/ carton box or customized


K-Shape | MTL_K



SPECIFICATION

- Size: H710 x W80mm; Steel box 40x80mm
- Materials: Alloy Steel, Metal, Steel
- Application: Desk, Dining Table, Bench, etc
- Installation: Screw-In
- Net Weight: 3kg/pc
- Shape: K Shape
- Color: Black
- Surface finish: Electric Powder Coating
- Packaging: 1 pair/ carton box or customized

W-Shape | MTL_W



SPECIFICATION

- Size: H400 x W450mm; Steel box 40x80mm
- Materials: Alloy Steel, Metal, Steel
- Application: Desk, Dining Table, Bench, etc
- Installation: Screw-In
- Net Weight: 3kg/pc
- Shape: W Shape
- Color: Black
- Surface finish: Electric Powder Coating
- Packaging: 1 pair/ carton box or customized

SPECIFICATION

- Wood species: Acacia, Rubberwood, Eucalyptus, etc
- Shape: Rectangular or customized
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Finish: unfinished or oil coating
- Quality: AB, AC, BC or customized
- Sanding: 240-320 grit



SIZE

Length (mm)	Width (mm)	Thickness (mm)
600	200	15
1820	250	18
	300	
	350	
	400	
	910	



Rubberwood Color Panel



Brown



Clear



Teak



Organic White



Espresso



Dusk Grey



Chopping board | CTB_01



Chopping board | CTB_02



Chopping board | CTB_03



Chopping board | CTB_04



Chopping board | CTB_05

SPECIFICATION

- Wood species: Rubberwood, Acacia
- Moisture: 8 - 12 %
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Surface finish: Unfinished or Oil Coating
- Sanding: 240-320 grit. Both sides of the wood board
- Quality: AB, AC, BC, CC or customized
- Shape: round, rectangular (with handle), square, etc
- Size: standard or customized



DESCRIPTION

Lazy Susan is a common accessory in interior design and dining tables, capable of rotation 360 degrees. It is often used during parties or family gatherings, helping to display a variety of dishes appealingly and enticingly. It also makes it easy for everyone to get the food, making mealtimes more enjoyable.

SPECIFICATION

- Material: Rubberwood, Acacia, etc
- Moisture: 8 - 12 %
- Length & Width tolerance: 0/+3 mm
- Thickness tolerance: +/- 0.2 mm
- Glue: D4
- Size: standard or customized
- Surface finish: Unfinished, oil pre-stained, UV or PU coating



SSR VINA CERTIFICATES



Quality Management ISO 9001:2015



FSC®
Chain-of-Custody



Alibaba

Top 100 Featured Businesses

**VCCI Member**

WHY CHOSE SSR VINA



Cost-optimized sustainable wood products



Professional staff, highly skilled workers



Rigorous **Quality** Control



15 years of experience supplying to over 50 countries



Customization to meet customer requirements



Pursue relentless quest for **innovation**

SSR VINA GLOBAL NETWORK



SSR VINA FACILITIES



CONTACT US



ADDRESS

G-12, Ground Floor, The Manor Officetel,
No. 89 Nguyen Huu Canh, Thanh My Tay
Ward, Ho Chi Minh City



PHONE

EU Market: +84 359 276 180
USA Market: +1 (281) 509-5350
ASIA Market: +84 901 883 328



EMAIL

contact@ssr.com



WEBSITE

www.ssr.vn

SSR Vina Co., LTD